Applicant: Shackleford et al.

Dckt. No.: 100110346-1 Issued

: n/a

Serial No.: 09/977,985 Filed : 10/17/2001

Page

a difference of counts of 1s and 0s in said inputs of said truth table generating 0s for output is less than or equal to a predetermined 0s input difference threshold.

## REMARKS

Applicants wish to thank the Examiner for allowing claims 1-16 in the present application. Examiner noted several informalities needing attention, namely, 1) updating copending application status 2) correcting grammar in specification and 3) modifying grammar in claim 6 and 12. Applicants have addressed these informalities and in addition identified an additional informality in claim 13. Accordingly, no new matter has been added by these modifications and Applicants believe the case is now in condition for issuance.

Attached hereto is a marked-up version of the changes made to the specification and claims by the current amendment. The attached page is captioned "Version with markings to show changes made".

Applicants have made a diligent effort to place the claims in condition for allowance. However, should there remain unresolved issues that require adverse action, it is respectfully requested that the Examiner telephone Leland Wiesner, Applicants' Attorney at (650) 853-1113 so that such issues may be resolved as expeditiously as possible.

Applicant: Shackleford et al. Dckt. No.: 100110346-1

Issued : n/a Serial No. : 09/977,985 Filed : 10/17/2001

Page: 5

For these reasons, and in view of the above amendments, this application is now considered to be in condition for allowance and such action is earnestly solicited.

Respectfully Submitted, August 17, 2004

Date

Leland Wiesner

Attorney for Applicants

Leland zwenes

Reg. No. 39424

Leland Wiesner Attorney 366 Cambridge Ave. Palo Alto, California 94306 Tel. (650) 853-1113

Applicant: Shackleford et al. Dckt. No.: 100110346-1

Issued : n/a

Serial No. : 09/977,985 Filed : 10/17/2001

Page: 6

## Version with markings to show changes made

## **CLAIMS**

What is claimed is:

1. (original) A method to reduce a search space for determining viable cellular automata based random number generators (CA-based RNGs), comprising:

counting number of 1s and 0s of outputs of a truth table for a candidate CA-based RNG;

counting number of 1s and 0s of inputs of said truth table for said candidate CA-based RNG; and

accepting or rejecting said candidate CA-based RNG based on results of said counting steps.

2. (original) The method of claim 1, wherein in said step of accepting or rejecting said candidate CA-based RNG comprises:

accepting said candidate CA-based RNG in response to all of the following

Applicant: Shackleford et al.

Dckt. No.: 100110346-1 Issued

n/a

Serial No.:

09/977,985 Filed 10/17/2001

Page

7

conditions being met:

a difference of counts of 1s and 0s in said outputs of said truth table is less

than or equal to a predetermined output difference threshold;

a difference of counts of 1s and 0s in said inputs of said truth table

generating Is for output is less than or equal to a predetermined is input difference

threshold;

and a difference of counts of 1s and 0s in said inputs of said truth table

generating 0s for output is less than or equal to a predetermined 0s input difference

threshold.

3. (original) The method of claim 2, wherein at least one of said predetermined output

difference threshold, predetermined 0s input difference threshold, and predetermined 1s

input difference threshold is zero.

4. (original) The method of claim 1, wherein in said step of accepting or rejecting said

candidate CA-based RNG comprises:

Applicant: Shackleford et al.

Dckt. No.: 100110346-1

: n/a

Issued Serial No.: 09/977,985

: 10/17/2001

Filed Page

: 8

rejecting said candidate CA-based RNG in response to at least one of the following conditions not being met:

a difference of counts of 1s and 0s in said outputs of said truth table is less than or equal to a predetermined output difference threshold;

a difference of counts of 1s and 0s in said inputs of said truth table generating 1s for output is less than or equal to a predetermined 1s input difference threshold; and

a difference of counts of 1s and 0s in said inputs of said truth table generating 0s for output is less than or equal to a predetermined 0s input difference threshold.

- 5. (original) The method of claim 4, wherein at least one of said predetermined output difference threshold, predetermined 0s input difference threshold, and predetermined 1s input difference threshold is zero.
- 6. (Currently Amended) A system to reduce a search space for determining viable cellular automata based random number generator (CA-based RNG) [(CA-based RNGs)],

Applicant: Shackleford et al.

Dckt. No. : 100110346-1 Issued

n/a

Serial No.: 09/977,985 Filed : 10/17/2001

Page

comprising:

a truth-table-counting-module counting number of 1s and 0s of outputs of a

truth table for a candidate CA-based RNG, said truth-table-counting module also

counting number of 1s and 0s of inputs of said truth table for said candidate CA-based

RNG; and

a prescreening-module accepting or rejecting said candidate CA-based RNG

based on an output or outputs of said truth-table-counting module.

7. (original) The system of claim 6, wherein said truth-table-counting-module comprises:

an output-counting-module counting number of 1s and 0s of said outputs of said

truth table for said candidate CA-based RNG; and

an input-counting-module counting number of 1s and 0s of said inputs of said

truth table for said candidate CA-based RNG.

8. (original) The system of claim 6, wherein said prescreening-module accepts said

candidate CA-based RNG accepts in response to all of the following conditions being

met:

Applicant: Shackleford et al.

Dckt. No.: 100110346-1

n/a

Issued Serial No. :

09/977,985 Filed 10/17/2001

Page

: 10

a difference of counts of 1s and 0s in said outputs of said truth table is less

than or equal to a predetermined output difference threshold;

a difference of counts of 1s and 0s in said inputs of said truth table

generating 1s for output is less than or equal to a predetermined is input difference

threshold; and

a difference of counts of 1s and 0s in said inputs of said truth table

generating 0s for output is less than or equal to a predetermined 0s input difference

threshold.

9. (original) The system of claim 8, wherein at least one of said predetermined output

difference threshold, predetermined 0s input difference threshold, and predetermined is

input difference threshold is zero.

10. (original) The system of claim 6, wherein in said prescreening-module accepts said

candidate CA-based RNG rejects in response to at least one of the following conditions

not being met:

a difference of counts of 1s and 0s in said outputs of said truth table is less

Applicant: Shackleford et al.

Dckt. No.: 100110346-1

Issued

n/a Serial No. : 09/977,985 Filed 10/17/2001

Page

than or equal to a predetermined output difference threshold;

a difference of counts of 1s and 0s in said inputs of said truth table

generating is for output is less than or equal to a predetermined is input difference

threshold; and

a difference of counts of 1s and 0s in said inputs of said truth table

generating 0s for output is less than or equal to a predetermined 0s input difference

threshold.

11. (original) The system of claim 10, wherein at least one of said predetermined output

difference threshold, predetermined 0s input difference threshold, and predetermined Is

input difference threshold is zero.

12. (Currently Amended) A computer readable medium on which is embedded computer

software comprising a set of instructions for performing a method to reduce a search

space for determining viable cellular automata based random number generator (CA-

based RNG) [(CA-based RNGs)], said method comprising:

counting number of 1s and 0s of outputs of a truth table for a candidate CA-based

Applicant: Shackleford et al.

Dckt. No.: 100110346-1

Issued

n/a Serial No.: 09/977,985 : 10/17/2001

Filed Page

RNG;

counting number of 1s and 0s of inputs of said truth table for said candidate CA-

based RNG; and

accepting or rejecting said candidate CA-based RNG based on results of said

counting steps.

13.(Currently Amended) The computer readable medium of claim 12, wherein in said

method [[(200)]], said step of accepting or rejecting said candidate CA-based RNG

comprises:

accepting said candidate CA-based RNG in response to all of the following

conditions being met:

a difference of counts of 1s and 0s in said outputs of said truth table is less

than or equal to a predetermined output difference threshold;

a difference of counts of 1s and 0s in said inputs of said truth table

generating is for output is less than or equal to a predetermined is input difference

threshold; and

a difference of counts of 1s and 0s in said inputs of said truth table

Applicant: Shackleford et al.

Dckt. No.: 100110346-1 Issued

n/a

Serial No.:

09/977,985 10/17/2001

Filed Page

: 13

generating 0s for output is less than or equal to a predetermined 0s input difference threshold.

14. (original) The computer readable medium of claim 13, wherein at least one of said predetermined output difference threshold, predetermined 0s input difference threshold, and predetermined is input difference threshold is zero.

15. (original) The computer readable medium of claim 12, wherein in said method, said step of accepting or rejecting said candidate CA-based RNG comprises:

rejecting said candidate CA-based RNG in response to at least one of the following conditions not being met:

a difference of counts of 1s and 0s in said outputs of said truth table is less than or equal to a predetermined output difference threshold;

a difference of counts of 1s and 0s in said inputs of said truth table generating 1s for output is less than or equal to a predetermined is input difference threshold; and

a difference of counts of 1s and 0s in said inputs of said truth table

Applicant: Shackleford et al. Dckt. No.: 100110346-1

Issued : n/a

Serial No.: 09/977,985 Filed: 10/17/2001

Page : 14

generating 0s for output is less than or equal to a predetermined 0s input difference threshold.

16. (original) The computer readable medium of claim 15, wherein at least one of said predetermined output difference threshold, predetermined 0s input difference threshold, and predetermined is input difference threshold is zero.